

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.9	cm	3.0	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.4	cm	2.5	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.6	cm	1.9	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.3	cm	2.4	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.5	cm	1.8	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.8	cm	3.3	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.9	cm	3.5	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.8	cm	2.9	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	3.1	cm	4.2	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.7	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.8	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	3.0	cm	3.3	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.3	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.2	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.5	cm	2.2	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.4	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.7	cm	3.3	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.4	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.8	cm	2.3	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.0	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.9	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.6	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.4	cm	2.1	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.5	cm	2.3	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.8	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.5	cm	2.4	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.9	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.5	cm	2.2	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.2	cm	1.5	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.5	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.2	cm	1.4	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.6	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.4	cm	2.1	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.8	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.6	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	1.9	cm	1.0	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.7	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.8	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	2.5	cm	1.9	g	broken
8- 1st Ave Bridge	1	8/13/2003	<i>Macoma balthica</i>	1.1	cm	0.2	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	7.8	cm	52	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	8.8	cm	63	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	7.1	cm	39	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	39	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	7.6	cm	34	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	3.7	cm	5.7	g	
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	6.4	cm	28	g	broken
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	br	cm	19	g	broken
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	41	g	broken
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	br	cm	37	g	broken
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46	g	broken
8- 1st Ave Bridge	1	8/13/2003	<i>Mya arenaria</i>	2.5	cm	1.7	g	broken
8- 1st Ave Bridge	1	8/13/2003	<i>Mya</i> fragments	fragments	cm	431.8	g	Fragments of <i>Mya</i> clams
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.7	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.4	cm	2.0	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.5	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.3	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.1	cm	0.8	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.2	cm	1.0	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	1.9	cm	1.1	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.3	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.5	cm	2.1	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.5	cm	2.1	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.2	cm	1.6	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.3	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.9	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.3	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.9	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.8	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.2	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.3	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	1.9	cm	1.1	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.4	cm	2.5	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.5	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.4	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.1	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	35.3	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.8	cm	29.4	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.3	cm	26.0	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	8.0	cm	64.7	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	17.7	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	17.9	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	5.6	cm	22.2	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	7.3	cm	42.1	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	8.2	cm	59.7	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.0	cm	18.5	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.2	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.6	cm	26.9	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	7.7	cm	47.9	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.8	cm	28.0	g	
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	5.6	cm	18.5	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.0	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	7.7	cm	48.1	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	5.6	cm	18.5	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	24.4	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	22.5	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	18.2	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	8.1	cm	56.0	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	20.2	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	23.0	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya arenaria</i>	br	cm	29.0	g	broken
8- 1st Ave Bridge	2	8/13/2003	<i>Mya fragments</i>	fragments	cm	162.6	g	Fragments of Mya clams
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.9	cm	1.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.0	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.2	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.2	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.6	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.2	cm	1.6	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.3	cm	2.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.2	cm	1.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.5	cm	1.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.9	cm	0.9	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.3	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.5	cm	2.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.9	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.7	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.7	cm	1.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.9	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.3	cm	2.0	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.6	cm	2.2	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.5	cm	1.0	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.2	cm	2.0	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.7	cm	2.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.6	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.2	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.9	cm	1.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.5	cm	1.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.2	cm	1.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.6	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.3	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.4	cm	2.0	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.9	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.9	cm	0.9	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.2	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.4	cm	1.7	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.3	cm	1.6	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	2.5	cm	1.6	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	1.3	cm	0.3	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Macoma balthica</i>	br	cm	0.3	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.2	cm	43.1	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.7	cm	54.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.0	cm	32.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.4	cm	30.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	5.8	cm	22.2	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	5.8	cm	23.1	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.5	cm	34.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.8	cm	38.4	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.9	cm	51.5	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.5	cm	34.3	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	8.1	cm	56.0	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	br	cm	26.1	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	4.7	cm	11.0	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	3.6	cm	3.8	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.3	cm	46.8	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.6	cm	30.3	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.8	cm	33.2	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.2	cm	39.4	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	8.2	cm	58.1	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.4	cm	42.7	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	br	cm	25.7	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	br	cm	31.9	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.3	cm	26.4	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	6.2	cm	23.3	g	
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	7.3	cm	41.0	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	br	cm	10.0	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya arenaria</i>	br	cm	34.6	g	broken
8- 1st Ave Bridge	3	8/13/2003	<i>Mya fragments</i>	fragments	cm	74.8	g	Fragments of Mya clams
2a-island (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.5	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.9	cm	0.9	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.6	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.2	cm	0.2	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.6	cm	-	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.8	cm	-	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.8	cm	71.8	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	41.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	36.2	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	29.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.2	cm	35.2	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	29.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.3	cm	60.2	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.7	cm	48.1	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	9.1	cm	85.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.2	cm	24.7	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.9	cm	22.7	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.6	cm	42.5	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.7	cm	69.4	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.8	cm	28.7	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.6	cm	53.1	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.4	cm	51.2	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.9	cm	74.2	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.2	cm	16.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.4	cm	42.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.0	cm	58.1	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.0	cm	35.2	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.1	cm	19.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.5	cm	13.0	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.4	cm	29.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.4	cm	26.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.9	cm	34.6	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	31.7	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.0	cm	53.9	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.1	cm	56.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.2	cm	39.4	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	30.1	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.2	cm	14.9	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.7	cm	12.5	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	29.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.0	cm	20.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.3	cm	26.4	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.8	cm	11.2	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	br	cm	30.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.6	cm	27.9	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	31.3	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	28.0	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	18.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.8	cm	8.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	21.7	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.3	cm	12.2	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	33.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.8	cm	31.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.8	cm	19.0	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.1	cm	15.1	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.5	cm	44.5	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.0	cm	22.8	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.6	cm	19.2	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.8	cm	11.5	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	br	cm	23.2	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.6	cm	9.1	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.7	cm	25.3	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.2	cm	9.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.5	cm	13.7	g	



**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.5	cm	17.6	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	41.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.4	cm	16.6	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya fragments</i>	fragments	cm	153.4	g	fragments of Mya clams
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	2.5	cm	1.9	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	3.4	cm	4.2	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.3	cm	44.0	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	50.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.9	cm	70.9	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	40.0	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	30.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	27.0	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.9	cm	10.8	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.3	cm	15.4	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	33.5	g	
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	29.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.9	cm	52.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.2	cm	58.1	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.1	cm	56.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.6	cm	67.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.9	cm	52.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.4	cm	62.4	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	9.6	cm	93.1	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.5	cm	44.5	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.7	cm	19.6	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.0	cm	53.9	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	36.2	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.9	cm	21.7	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.0	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.2	cm	39.4	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	8.3	cm	60.2	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.0	cm	22.8	g	broken
2a-island (Kellogg Island)	1	8/13/2003	<i>Mya fragments</i>	fragments	cm	491.5	g	fragments of Mya clams
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.5	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.3	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.4	cm	0.4	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.4	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.8	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	br	cm	<0.1	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.5	cm	<0.1	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.7	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.5	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.7	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.3	cm	<0.1	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.4	cm	0.5	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.3	cm	18.4	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.7	cm	22.9	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.8	cm	12.8	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.2	cm	8.2	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.4	cm	8.8	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.9	cm	20.6	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	3.9	cm	5.3	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.6	cm	25.4	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.3	cm	25.6	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	8.4	cm	68.1	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	br	cm	3.8	g	broken
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.1	cm	14.0	g	broken
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.6	cm	18.5	g	broken
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.4	cm	16.6	g	broken
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	br	cm	8.5	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.7	cm	19.6	g	broken
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	7.8	cm	56.5	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	br	cm	21.1	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	7.4	cm	49.2	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	3.4	cm	2.6	g	
2a-island (Kellogg Island)	2	8/13/2003	<i>Mya fragments</i>	fragments	cm	53.1	g	Fragments of Mya clams
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.5	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.6	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.5	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.5	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.5	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.3	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.9	cm	0.9	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.4	cm	0.4	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.4	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.9	cm	12.5	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.0	cm	7.4	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	2.4	cm	2.2	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	3.4	cm	4.7	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.0	cm	29.6	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.8	cm	13.8	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.0	cm	25.3	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.7	cm	73.0	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.9	cm	30.2	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.9	cm	24.0	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.8	cm	19.8	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.7	cm	22.2	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.1	cm	8.5	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.9	cm	13.9	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	8.3	cm	59.4	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	3.3	cm	4.0	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.9	cm	10.7	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.2	cm	9.2	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.4	cm	30.2	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.6	cm	50.6	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	2.2	cm	1.3	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.4	cm	18.8	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.8	cm	10.3	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.0	cm	12.6	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.9	cm	7.3	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.5	cm	6.9	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.9	cm	15.3	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.9	cm	21.7	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.1	cm	37.7	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.0	cm	17.0	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.1	cm	9.7	g	
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	11.0	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	2.8	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.1	cm	37.7	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.1	cm	37.7	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.8	cm	33.2	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	23	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	33.8	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	38.3	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.5	cm	17.6	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.8	cm	20.6	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	8.2	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.9	cm	21.7	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	28.3	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	2.8	cm	2.3	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.0	cm	6.8	g	broken
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	24.2	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	3	8/13/2003	<i>Mya fragments</i>	fragments	cm	135.4	g	Fragments of Mya clams
2a-island (Kellogg Island)	4	8/13/2003	<i>Macoma balthica</i>	1.4	cm	0.4	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Macoma balthica</i>	1.9	cm	0.8	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.4	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.5	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.7	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.2	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.5	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.7	cm	17.0	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.8	cm	13.5	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.7	cm	21.9	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	8.3	cm	74.2	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	3.9	cm	7.1	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.6	cm	10.1	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.9	cm	11.5	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.7	cm	13.6	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.1	cm	16.8	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	7.5	cm	40.8	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.6	cm	10.3	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	6.6	cm	34.1	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.5	cm	15.2	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	7.1	cm	50.4	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	7.1	cm	32.6	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	br	cm	18.8	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.2	cm	7.8	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	br	cm	4.5	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	7.2	cm	39.4	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.8	cm	11.7	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	7.2	cm	39.4	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	6.9	cm	34.6	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.2	cm	7.8	g	broken
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.0	cm	13.2	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.0	cm	5.0	g	
2a-island (Kellogg Island)	4	8/13/2003	<i>Mya fragments</i>	fragments	cm	142.2	g	fragments of Mya clams
2a-island (Kellogg Island)	5	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Macoma balthica</i>	1.2	cm	<0.1	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.5	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Macoma inquinata</i>	2.7	cm	1.8	g	voucher
2a-island (Kellogg Island)	5	8/13/2003	<i>Macoma nasuta</i>	5.0	cm	12.3	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.5	cm	33.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.9	cm	23.7	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.8	cm	35.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.1	cm	43.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.5	cm	34.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.4	cm	29.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	4.2	cm	8.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.3	cm	29.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.7	cm	60.9	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	9.1	cm	90.3	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.1	cm	40.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.7	cm	20.1	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.5	cm	29.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.3	cm	28.2	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.7	cm	51.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	7.2	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.0	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.3	cm	28.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.0	cm	13.7	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.6	cm	14.2	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	34.2	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.6	cm	14.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	3.8	cm	4.7	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	25.0	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.7	cm	48.1	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.4	cm	43.7	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.9	cm	28.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.2	cm	29.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.1	cm	10.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	56.3	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.7	cm	48.1	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	4.3	cm	6.7	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	40.4	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.4	cm	35.5	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.1	cm	29.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	50.6	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.8	cm	20.6	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	42.0	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.7	cm	48.1	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	18.6	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.0	cm	13.2	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.7	cm	48.1	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.5	cm	44.5	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	24.8	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	3.7	cm	5.4	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	18.3	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	10.4	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	1.2	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	18.3	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya fragments</i>	fragments	cm	208.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	5.7	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.7	cm	66.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.4	cm	59.5	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.1	cm	11.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.0	cm	40.3	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.1	cm	38.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	9.3	cm	96.3	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.3	cm	19.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.3	cm	71.7	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.7	cm	36.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.5	cm	76.9	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.2	cm	58.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.8	cm	23.7	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.8	cm	22.5	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.8	cm	53.2	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.0	cm	55.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.1	cm	69.0	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.5	cm	22.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.2	cm	14.7	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.1	cm	43.9	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.7	cm	47.9	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	3.0	cm	3.4	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	5.7	cm	21.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	39.9	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	22.2	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	22.9	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	4.2	cm	7.8	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	18.1	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	3.2	cm	3.6	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.5	cm	22.9	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	10.9	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.0	cm	36.2	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	48.3	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.7	cm	69.4	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	98.2	g	broken



**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	3.7	cm	5.4	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.8	cm	50.0	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	29.1	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46.3	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	8.3	cm	48.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	7.1	cm	37.7	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	br	cm	18.3	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.9	cm	24.8	g	
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya arenaria</i>	6.6	cm	30.3	g	broken
2a-island (Kellogg Island)	5	8/13/2003	<i>Mya fragments</i>	fragments	cm	119.2	g	fragments of Mya clams
2a-island (Kellogg Island)	5	8/13/2003	<i>Prototeca staminea</i>	3.6	cm	19.7	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.6	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	1.2	cm	0.3	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Macoma balthica</i>	2.0	cm	1.5	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Macoma nasuta</i>	4.8	cm	11.9	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Macoma nasuta</i>	3.0	cm	4.0	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.4	cm	18.7	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.1	cm	13.9	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	37.1	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.7	cm	15.8	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.7	cm	25.3	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.2	cm	11.9	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.1	cm	31.4	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	33.3	g	
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	5.1	cm	14.0	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.0	cm	22.8	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	br	cm	31.2	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.9	cm	34.6	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.1	cm	37.7	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	4.4	cm	9.0	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	41.0	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	br	cm	18.7	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya arenaria</i>	7.8	cm	50.0	g	broken
2a-mainland (Kellogg Island)	1	8/13/2003	<i>Mya fragments</i>	fragments	cm	81.9	g	fragments of Mya clams
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.7	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Macoma nasuta</i>	3.6	cm	6.2	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Macoma nasuta</i>	3.4	cm	3.6	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	7.8	cm	62.6	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.0	cm	28.8	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.1	cm	14.0	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	7.1	cm	48.4	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	7.1	cm	51.0	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	7.5	cm	40.8	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.4	cm	34.6	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.6	cm	11.0	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.8	cm	12.4	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	7.1	cm	38.1	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.7	cm	12.9	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	36.2	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.9	cm	46.5	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	26.0	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.4	cm	29.0	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.1	cm	14.7	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.9	cm	15.1	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.4	cm	10.7	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.7	cm	29.3	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.5	cm	27.0	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	5.8	cm	14.8	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.8	cm	24.7	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	2.8	cm	2.3	g	broken
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	1.9	cm	0.7	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	1.8	cm	0.6	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	br	cm	0.7	g	broken
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	br	cm	0.5	g	broken
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	br	cm	0.8	g	broken
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	4.8	cm	11.7	g	broken
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.0	g	broken
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya arenaria</i>	2.5	cm	1.7	g	
2a-mainland (Kellogg Island)	2	8/13/2003	<i>Mya fragments</i>	fragments	cm	114.1	g	Fragments of Mya clams
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.4	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.0	cm	31.8	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.2	cm	34.9	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.1	cm	45.7	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.5	cm	24.8	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.9	cm	24.5	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.2	cm	18.0	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.0	cm	14.9	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.9	cm	26.9	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.1	cm	9.5	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.6	cm	17.7	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.2	cm	7.0	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.2	cm	16.7	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.4	cm	33.6	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.5	cm	19.9	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.9	cm	29.4	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.2	cm	25.1	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	5.0	cm	13.2	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	7.1	cm	36.2	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	22.8	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	29.0	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	4.4	cm	9.0	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	6.9	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	12.9	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	9.4	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	br	cm	0.8	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	1.7	cm	0.5	g	broken
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	1.9	cm	1.0	g	
2a-mainland (Kellogg Island)	3	8/13/2003	<i>Mya arenaria</i>	1.9	cm	0.7	g	broken
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Macoma nasuta</i>	4.7	cm	10.8	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Macoma nasuta</i>	4.5	cm	11.1	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Macoma nasuta</i>	2.9	cm	2.9	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Macoma secta</i>	1.9	cm	1.0	g	voucher
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.7	cm	21.3	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.8	cm	14.5	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.7	cm	30.6	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	6.3	cm	28.7	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.3	cm	15.7	g	broken
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	br	cm	31.9	g	broken
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	5.3	cm	30.5	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	br	cm	15.8	g	broken
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	4.8	cm	9.5	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	br	cm	18.3	g	broken
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya arenaria</i>	6.0	cm	16.8	g	
2a-mainland (Kellogg Island)	4	8/13/2003	<i>Mya fragments</i>	fragments	cm	45.2	g	Fragments of Mya clams
1a - T-105	1	8/13/2003	<i>Macoma balthica</i>	1.8	cm	0.8	g	
1a - T-105	1	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.5	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.2	cm	25.8	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.9	cm	38.5	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.2	cm	26.7	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.5	cm	19.6	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	26.7	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.2	cm	18.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.2	cm	14.8	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	4.7	cm	10.5	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	35.2	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	3.7	cm	5.3	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.0	cm	19.6	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.1	cm	47.2	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.5	cm	17.8	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.2	cm	16.0	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	37.8	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	38.1	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	34.4	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	8.4	cm	64.5	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	39.7	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.1	cm	36.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.9	cm	38.7	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	4.1	cm	8.4	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.5	cm	44.2	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.4	cm	33.5	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	8.0	cm	64.6	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.9	cm	24.7	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.9	cm	48.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	25.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	4.5	cm	7.5	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	8.2	cm	50.4	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	4.3	cm	8.6	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.7	cm	22.0	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.3	cm	41.5	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	8.0	cm	54.7	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.9	cm	16.0	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	3.4	cm	3.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	9.1	cm	101.6	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.3	cm	14.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.8	cm	22.8	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	8.2	cm	52.2	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	28.7	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.0	cm	38.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	8.1	cm	50.0	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	9.3	cm	63.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.0	cm	9.0	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.3	cm	28.9	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	32.4	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.1	cm	26.2	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	32.8	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.5	cm	29.0	g	
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	18.8	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	9.9	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.9	cm	21.7	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	8.4	cm	62.4	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.9	cm	34.6	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	21.7	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	30.1	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46.3	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	5.5	cm	17.6	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	27.5	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	12.0	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	7.0	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	5.1	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	2.9	cm	2.6	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	6.6	cm	30.3	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46.3	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	br	cm	19.2	g	broken
1a - T-105	1	8/13/2003	<i>Mya arenaria</i>	4.5	cm	9.6	g	broken
1a - T-105	1	8/13/2003	<i>Mya fragments</i>	fragments	cm	83.1	g	Fragments of Mya clams
1a - T-105	2	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.6	g	
1a - T-105	2	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.4	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
1a - T-105	2	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.6	g	
1a - T-105	2	8/13/2003	<i>Macoma balthica</i>	1.4	cm	0.6	g	
1a - T-105	2	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.4	cm	36.2	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.6	cm	37.0	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.1	cm	34.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.9	cm	33.4	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	8.1	cm	64.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.9	cm	60.8	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.8	cm	40.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.6	cm	25.3	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	23.1	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.5	cm	34.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	23.7	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.2	cm	18.0	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.2	cm	34.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	8.7	cm	74.4	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	8.0	cm	45.4	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.3	cm	32.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.5	cm	28.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.9	cm	40.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	4.9	cm	10.2	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	4.4	cm	9.2	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	3.8	cm	7.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.2	cm	14.9	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.4	cm	42.7	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.7	cm	48.1	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.8	cm	20.6	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.9	cm	52.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.6	cm	18.5	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.2	cm	14.9	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46.3	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	4.7	cm	11.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	br	cm	31.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.8	cm	50.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46.3	g	broken
1a - T-105	2	8/13/2003	<i>Mya fragments</i>	fragments	cm	179.0	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.3	cm	37.7	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.3	cm	25.2	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.6	cm	31.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.5	cm	42.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.9	cm	32.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.0	cm	28.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.6	cm	47.8	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.6	cm	43.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.7	cm	21.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.5	cm	18.8	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.4	cm	25.7	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	8.4	cm	66.4	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.7	cm	35.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.2	cm	9.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	4.2	cm	8.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	4.9	cm	9.7	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.2	cm	45.2	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.5	cm	43.8	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46.0	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.3	cm	38.7	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.8	cm	21.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.1	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.3	cm	24.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	4.9	cm	11.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.4	cm	24.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.5	cm	16.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.8	cm	26.7	g	



**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.9	cm	19.6	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.4	cm	20.1	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.2	cm	40.3	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.9	cm	40.5	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.1	cm	13.9	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.6	cm	43.8	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.5	cm	55.3	g	
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.3	cm	41.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.1	cm	37.7	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.6	cm	46.3	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.4	cm	16.6	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.3	cm	15.7	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.8	cm	50.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.9	cm	21.7	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.7	cm	31.7	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.5	cm	29.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	8.1	cm	56.0	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.4	cm	16.6	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	5.7	cm	19.6	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.9	cm	34.6	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	7.5	cm	44.5	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	3.6	cm	4.9	g	broken
1a - T-105	2	8/13/2003	<i>Mya arenaria</i>	br	cm	21.9	g	broken
1a - T-105	2	8/13/2003	<i>Mya fragments</i>	fragments	cm	226.1	g	fragments of Mya clams
1a - T-105	3	8/13/2003	<i>Macoma balthica</i>	1.9	cm	0.8	g	
1a - T-105	3	8/13/2003	<i>Macoma balthica</i>	2.1	cm	1.1	g	
1a - T-105	3	8/13/2003	<i>Macoma balthica</i>	1.8	cm	1.1	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	6.8	cm	38.7	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	7.1	cm	36.0	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	7.2	cm	32.6	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	6.0	cm	25.4	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	6.2	cm	29.7	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	4.2	cm	8.4	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	4.7	cm	11.2	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	5.8	cm	13.0	g	
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	br	cm	18.3	g	broken
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	br	cm	15.5	g	broken
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	br	cm	29.4	g	broken
1a - T-105	3	8/13/2003	<i>Mya arenaria</i>	br	cm	2.9	g	broken
1a - T-105	3	8/13/2003	<i>Mya</i> fragments	fragments	cm	62.8	g	Fragments of <i>Mya</i> clams
1a - T-105	4	8/13/2003	<i>Macoma balthica</i>	1.9	cm	1.4	g	
1a - T-105	4	8/13/2003	<i>Macoma balthica</i>	1.6	cm	0.6	g	
1a - T-105	4	8/13/2003	<i>Macoma balthica</i>	1.5	cm	0.3	g	
1a - T-105	4	8/13/2003	<i>Macoma balthica</i>	1.7	cm	0.6	g	
1a - T-105	4	8/13/2003	<i>Macoma balthica</i>	br	cm	0.4	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.8	cm	59.1	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.8	cm	32.6	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.1	cm	36.6	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.9	cm	42.1	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.8	cm	39.8	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.8	cm	53.8	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.8	cm	53.9	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.7	cm	40.5	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.7	cm	33.4	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.5	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.4	cm	39.5	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.0	cm	37.1	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.5	cm	46.1	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.1	cm	39.6	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	3.7	cm	6.7	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	9.3	cm	84.7	g	broken

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.4	cm	27.7	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.5	cm	44.5	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	4.5	cm	9.6	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	5.8	cm	20.6	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.1	cm	37.7	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.3	cm	26.4	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.1	cm	24.0	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	5.9	cm	21.7	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	5.2	cm	14.9	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	5.0	cm	13.2	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	5.8	cm	20.6	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.9	cm	34.6	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	7.9	cm	52.0	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	6.3	cm	26.4	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	3.4	cm	4.2	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	4.2	cm	7.8	g	broken
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	20.9	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	8.1	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	14.7	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	18.5	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	31.0	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	24.3	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	18.5	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	31.2	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	4.2	g	
1a - T-105	4	8/13/2003	<i>Mya arenaria</i>	br	cm	24.5	g	
1a - T-105	4	8/13/2003	<i>Mya</i> fragments	fragments	cm	180.3	g	

**Appendix G. Identification and size measurements of clams harvested during the catch per unit effort (CPUE) survey, August 13, 2003**

Location	Harvester	Date Collected	Species	Length	Unit	Total Wet Weight	Unit	Comment
----------	-----------	----------------	---------	--------	------	------------------	------	---------

Table note on comment column: "broken" refers to clams that have been crushed on retrieval and may have lost some weight due to water loss or missing pieces of the shell. In most cases, broken *Mya arenaria* clams were sufficiently intact for measurement of the length of the shell and the weight of these broken *M. arenaria* clams was then predicted using the observed length to weight ratio of unbroken *M. arenaria* clams. "br" (in the length and/or weight columns) denotes those instances where the shell was not intact and possibly missing pieces, preventing an accurate measurement of the shell length or weight. "Voucher" refers to individuals retained as voucher specimens. "Fragments of *Mya* clams" refers to pieces of *Mya arenaria* clams that were broken on retrieval or in transit.