

Appendix B. Taxonomic Identification of Gastropods and Size Measurements

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G1b	1	<i>Astyrus gausapata</i>	1	0.85		nm	
	1	<i>Astyrus gausapata</i>	1	0.74		nm	
	1	<i>Astyrus gausapata</i>	1	0.82		nm	
	1	<i>Astyrus gausapata</i>	1	0.73		nm	
	1	<i>Astyrus gausapata</i>	1	0.52		nm	
	1	<i>Nassarius mendicus</i>	1	1.20		0.30	
	1	<i>Nassarius mendicus</i>	1	1.30		0.36	
	1	<i>Turbonilla</i> sp.	1	0.46		nm	
	1	<i>Turbonilla</i> sp.	1	0.46		nm	
	1	<i>Odostomia</i> sp.	1	0.41		nm	
			Total number	10		0.75	
LDW-G1b	2	<i>Astyrus gausapata</i>	1	0.95		nm	
	2	<i>Astyrus gausapata</i>	1	0.87		nm	
	2	<i>Astyrus gausapata</i>	1	0.80		nm	
	2	<i>Astyrus gausapata</i>	1	0.72		nm	
	2	<i>Astyrus gausapata</i>	1	0.54		nm	
	2	<i>Astyrus gausapata</i>	1	0.53		nm	
	2	<i>Astyrus gausapata</i>	1	0.53		nm	
	2	<i>Astyrus gausapata</i>	1	0.62		nm	
	2	<i>Astyrus gausapata</i>	1	0.50		nm	
	2	<i>Astyrus gausapata</i>	1	0.50		nm	
	2	<i>Astyrus gausapata</i>	1	0.41		nm	
	2	<i>Astyrus gausapata</i>	1	0.25		nm	
	2	<i>Astyrus gausapata</i>	1	0.41		nm	
	2	<i>Astyrus gausapata</i>	1	0.42		nm	
	2	<i>Nassarius mendicus</i>	1	1.00		0.22	
	2	<i>Turbonilla</i> sp.	1	0.45		nm	
	2	<i>Turbonilla</i> sp.	1	0.51		nm	
2	<i>Alvania compacta</i>	1	0.18		nm		
		Total number	18		0.57		<0.1

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G1b	3	<i>Astyris gausapata</i>	1	0.96		nm	
	3	<i>Astyris gausapata</i>	1	0.90		nm	
	3	<i>Astyris gausapata</i>	1	0.67		nm	
	3	<i>Astyris gausapata</i>	1	0.64		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.59		nm	
	3	<i>Astyris gausapata</i>	1	0.45		nm	
	3	<i>Astyris gausapata</i>	1	0.42		nm	
	3	<i>Astyris gausapata</i>	1	0.34		nm	
	3	<i>Astyris gausapata</i>	1	1.00		0.11	
	3	<i>Turbonilla</i> sp.	1	0.44		nm	
	3	<i>Turbonilla</i> sp.	1	0.34		nm	
	3	<i>Turbonilla</i> sp.	1	0.50		nm	
	3	<i>Turbonilla</i> sp.	1	0.56		nm	
	3	<i>Turbonilla</i> sp.	1	0.40		nm	
	3	<i>Turbonilla</i> sp.	1	0.51		nm	
	3	<i>Turbonilla</i> sp.	1	0.41		nm	
	3	<i>Turbonilla</i> sp.	1	0.52		nm	
	3	<i>Turbonilla</i> sp.	1	0.35		nm	
	3	<i>Turbonilla</i> sp.	1	0.32		nm	
	3	<i>Turbonilla</i> sp.	1	0.42		nm	
	3	<i>Turbonilla</i> sp.	1	0.49		nm	
	3	<i>Turbonilla</i> sp.	1	0.31		nm	
	3	<i>Turbonilla</i> sp.	1	0.31		nm	
	3	<i>Alvania compacta</i>	1	0.25		nm	
	3	<i>Odostomia</i> sp.	1	0.30		nm	
	3	<i>Odostomia</i> sp.	1	0.36		nm	
		Total number	27		0.49		<0.1

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G1b	4	<i>Turbonilla</i> sp.	1	0.52		nm	
	4	<i>Turbonilla</i> sp.	1	0.41		nm	
	4	<i>Turbonilla</i> sp.	1	0.31		nm	
	4	<i>Astyris gausapata</i>	1	0.88		nm	
	4	<i>Astyris gausapata</i>	1	0.86		nm	
	4	<i>Astyris gausapata</i>	1	0.78		nm	
	4	<i>Astyris gausapata</i>	1	0.67		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.90		nm	
	4	<i>Astyris gausapata</i>	1	0.64		nm	
	4	<i>Astyris gausapata</i>	1	0.83		nm	
	4	<i>Astyris gausapata</i>	1	0.77		nm	
	4	<i>Astyris gausapata</i>	1	0.62		nm	
	4	<i>Astyris gausapata</i>	1	0.77		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.50		nm	
	4	<i>Astyris gausapata</i>	1	0.50		nm	
	4	<i>Astyris gausapata</i>	1	0.61		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.51		nm	
	4	<i>Astyris gausapata</i>	1	0.53		nm	
	4	<i>Astyris gausapata</i>	1	0.65		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.43		nm	
	4	<i>Astyris gausapata</i>	1	0.52		nm	
	4	<i>Astyris gausapata</i>	1	0.45		nm	
	4	<i>Astyris gausapata</i>	1	0.65		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.63		nm	
	4	<i>Astyris gausapata</i>	1	0.52		nm	
	4	<i>Astyris gausapata</i>	1	0.50		nm	
	4	<i>Astyris gausapata</i>	1	0.65		nm	
	4	<i>Astyris gausapata</i>	1	0.62		nm	
	4	<i>Astyris gausapata</i>	1	0.62		nm	
	4	<i>Astyris gausapata</i>	1	0.40		nm	
	4	<i>Nassarius mendicus</i>	1	1.40		0.38	
	4	<i>Nassarius mendicus</i>	1	1.10		0.22	
	4	<i>Nassarius mendicus</i>	1	1.00		0.22	
	4	<i>Nassarius mendicus</i>	1	1.00		0.13	
	4	<i>Odostomia</i> sp.	1	0.25			nm
		Total number	40		0.66		1.7

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G1b	5	<i>Astyrus gausapata</i>	1	0.64		nm	
	5	<i>Astyrus gausapata</i>	1	0.55		nm	
	5	<i>Astyrus gausapata</i>	1	0.66		nm	
	5	<i>Astyrus gausapata</i>	1	0.77		nm	
	5	<i>Astyrus gausapata</i>	1	0.51		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	0.49		nm	
	5	<i>Astyrus gausapata</i>	1	0.48		nm	
	5	<i>Turbonilla</i> sp.	1	0.46		nm	
	5	<i>Odostomia</i> sp.	1	0.32		nm	
	5	<i>Odostomia</i> sp.	1	0.33		nm	
	5	<i>Odostomia</i> sp.	1	0.36		nm	
			Total number	12		0.51	
LDW-G2b	1	<i>Astyrus gausapata</i>	1	0.85		nm	
	1	<i>Astyrus gausapata</i>	1	0.90		nm	
	1	<i>Astyrus gausapata</i>	1	0.90		nm	
	1	<i>Astyrus gausapata</i>	1	0.83		nm	
	1	<i>Astyrus gausapata</i>	1	0.97		nm	
	1	<i>Astyrus gausapata</i>	1	0.96		nm	
	1	<i>Astyrus gausapata</i>	1	0.94		nm	
	1	<i>Astyrus gausapata</i>	1	0.92		nm	
	1	<i>Astyrus gausapata</i>	1	0.92		nm	
	1	<i>Astyrus gausapata</i>	1	0.87		nm	
	1	<i>Astyrus gausapata</i>	1	0.90		nm	
	1	<i>Astyrus gausapata</i>	1	0.97		nm	
	1	<i>Astyrus gausapata</i>	1	0.86		nm	
	1	<i>Astyrus gausapata</i>	1	0.83		nm	
	1	<i>Astyrus gausapata</i>	1	0.80		nm	
	1	<i>Astyrus gausapata</i>	1	0.75		nm	
	1	<i>Astyrus gausapata</i>	1	0.83		nm	
	1	<i>Astyrus gausapata</i>	1	0.79		nm	
	1	<i>Astyrus gausapata</i>	1	0.68		nm	
	1	<i>Astyrus gausapata</i>	1	0.83		nm	
	1	<i>Astyrus gausapata</i>	1	0.95		nm	
	1	<i>Astyrus gausapata</i>	1	0.83		nm	
	1	<i>Astyrus gausapata</i>	1	0.80		nm	
	1	<i>Astyrus gausapata</i>	1	0.89		nm	
	1	<i>Astyrus gausapata</i>	1	0.98		nm	
	1	<i>Astyrus gausapata</i>	1	0.62		nm	
	1	<i>Astyrus gausapata</i>	1	0.79		nm	
	1	<i>Astyrus gausapata</i>	1	0.90		nm	
	1	<i>Astyrus gausapata</i>	1	0.59		nm	
	1	<i>Astyrus gausapata</i>	1	0.65		nm	
1	<i>Astyrus gausapata</i>	1	0.51		nm		
1	<i>Astyrus gausapata</i>	1	0.64		nm		
1	<i>Astyrus gausapata</i>	1	0.50		nm		
1	<i>Astyrus gausapata</i>	1	0.80		nm		
1	<i>Astyrus gausapata</i>	1	0.60		nm		
1	<i>Astyrus gausapata</i>	1	0.79		nm		
1	<i>Astyrus gausapata</i>	1	0.61		nm		
1	<i>Astyrus gausapata</i>	1	0.62		nm		
1	<i>Astyrus gausapata</i>	1	0.50		nm		
1	<i>Astyrus gausapata</i>	1	0.80		nm		
1	<i>Astyrus gausapata</i>	1	0.70		nm		
1	<i>Astyrus gausapata</i>	1	0.65		nm		
1	<i>Astyrus gausapata</i>	1	0.82		nm		
1	<i>Astyrus gausapata</i>	1	0.71		nm		

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
	1	<i>Astyris gausapata</i>	1	0.70		nm	
	1	<i>Astyris gausapata</i>	1	0.59		nm	
	1	<i>Astyris gausapata</i>	1	0.51		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.62		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.58		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.52		nm	
	1	<i>Astyris gausapata</i>	1	0.71		nm	
	1	<i>Astyris gausapata</i>	1	0.80		nm	
	1	<i>Astyris gausapata</i>	1	0.81		nm	
	1	<i>Astyris gausapata</i>	1	0.70		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.42		nm	
	1	<i>Astyris gausapata</i>	1	0.53		nm	
	1	<i>Astyris gausapata</i>	1	0.68		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.65		nm	
	1	<i>Astyris gausapata</i>	1	0.70		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.62		nm	
	1	<i>Astyris gausapata</i>	1	0.69		nm	
	1	<i>Astyris gausapata</i>	1	0.68		nm	
	1	<i>Astyris gausapata</i>	1	0.90		0.13	
	1	<i>Astyris gausapata</i>	1	1.10		0.19	
	1	<i>Nassarius mendicus</i>	1	1.20		0.39	
	1	<i>Nassarius mendicus</i>	1	1.20		0.27	
	1	<i>Trichotropis cancellata</i>	1	0.86		nm	
	1	<i>Euspira</i> sp.	1	0.20		nm	
		Total number	77		0.74		5.0

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G2b	2	<i>Astyrus gausapata</i>	1	0.90		nm	
	2	<i>Astyrus gausapata</i>	1	0.94		nm	
	2	<i>Astyrus gausapata</i>	1	0.75		nm	
	2	<i>Astyrus gausapata</i>	1	0.70		nm	
	2	<i>Astyrus gausapata</i>	1	0.70		nm	
		Total number	5		0.80		<0.1
LDW-G2b	3	<i>Astyrus gausapata</i>	1	0.88		nm	
	3	<i>Astyrus gausapata</i>	1	0.74		nm	
	3	<i>Astyrus gausapata</i>	1	0.71		nm	
	3	<i>Astyrus gausapata</i>	1	0.61		nm	
	3	<i>Astyrus gausapata</i>	1	0.60		nm	
	3	<i>Astyrus gausapata</i>	1	0.62		nm	
	3	<i>Astyrus gausapata</i>	1	0.61		nm	
	3	<i>Astyrus gausapata</i>	1	0.62		nm	
	3	<i>Astyrus gausapata</i>	1	0.61		nm	
	3	<i>Astyrus gausapata</i>	1	0.72		nm	
	3	<i>Astyrus gausapata</i>	1	0.90		nm	
	3	<i>Astyrus gausapata</i>	1	0.61		nm	
	3	<i>Astyrus gausapata</i>	1	0.62		nm	
	3	<i>Astyrus gausapata</i>	1	0.71		nm	
	3	<i>Astyrus gausapata</i>	1	0.71		nm	
	3	<i>Astyrus gausapata</i>	1	0.80		nm	
	3	<i>Astyrus gausapata</i>	1	0.61		nm	
	3	<i>Astyrus gausapata</i>	1	0.75		nm	
	3	<i>Astyrus gausapata</i>	1	0.68		nm	
	3	<i>Astyrus gausapata</i>	1	0.70		nm	
	3	<i>Astyrus gausapata</i>	1	0.51		nm	
	3	<i>Astyrus gausapata</i>	1	0.56		nm	
	3	<i>Astyrus gausapata</i>	1	0.51		nm	
	3	<i>Astyrus gausapata</i>	1	0.60		nm	
	3	<i>Astyrus gausapata</i>	1	0.52		nm	
	3	<i>Astyrus gausapata</i>	1	0.41		nm	
	3	<i>Astyrus gausapata</i>	1	0.59		nm	
	3	<i>Astyrus gausapata</i>	1	1.00		0.16	
	3	<i>Nassarius mendicus</i>	1	1.20		0.35	
		Total number	29		0.68		1.3

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G2b	4	<i>Astyris gausapata</i>	1	1.00		nm	
	4	<i>Astyris gausapata</i>	1	0.92		nm	
	4	<i>Astyris gausapata</i>	1	0.78		nm	
	4	<i>Astyris gausapata</i>	1	0.87		nm	
	4	<i>Astyris gausapata</i>	1	0.91		nm	
	4	<i>Astyris gausapata</i>	1	0.87		nm	
	4	<i>Astyris gausapata</i>	1	0.83		nm	
	4	<i>Astyris gausapata</i>	1	0.90		nm	
	4	<i>Astyris gausapata</i>	1	0.82		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.81		nm	
	4	<i>Astyris gausapata</i>	1	0.82		nm	
	4	<i>Astyris gausapata</i>	1	0.87		nm	
	4	<i>Astyris gausapata</i>	1	0.83		nm	
	4	<i>Astyris gausapata</i>	1	0.84		nm	
	4	<i>Astyris gausapata</i>	1	0.61		nm	
	4	<i>Astyris gausapata</i>	1	0.71		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.88		nm	
	4	<i>Astyris gausapata</i>	1	0.68		nm	
	4	<i>Astyris gausapata</i>	1	0.90		nm	
	4	<i>Astyris gausapata</i>	1	0.71		nm	
	4	<i>Astyris gausapata</i>	1	0.61		nm	
	4	<i>Astyris gausapata</i>	1	0.85		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.62		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.88		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.69		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	0.65		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	0.92		nm	
	4	<i>Astyris gausapata</i>	1	0.69		nm	
	4	<i>Astyris gausapata</i>	1	0.54		nm	
	4	<i>Astyris gausapata</i>	1	0.82		nm	
	4	<i>Astyris gausapata</i>	1	0.78		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.61		nm	
	4	<i>Astyris gausapata</i>	1	0.63		nm	
	4	<i>Astyris gausapata</i>	1	0.54		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.64		nm	

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
	4	<i>Astyris gausapata</i>	1	0.65		nm	
	4	<i>Astyris gausapata</i>	1	0.55		nm	
	4	<i>Astyris gausapata</i>	1	0.81		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.71		nm	
	4	<i>Astyris gausapata</i>	1	0.59		nm	
	4	<i>Astyris gausapata</i>	1	0.71		nm	
	4	<i>Astyris gausapata</i>	1	0.82		nm	
	4	<i>Astyris gausapata</i>	1	0.94		nm	
	4	<i>Astyris gausapata</i>	1	0.89		nm	
	4	<i>Astyris gausapata</i>	1	0.68		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	0.86		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	0.81		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.61		nm	
	4	<i>Astyris gausapata</i>	1	0.61		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.79		nm	
	4	<i>Astyris gausapata</i>	1	0.61		nm	
	4	<i>Astyris gausapata</i>	1	0.55		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	0.50		nm	
	4	<i>Astyris gausapata</i>	1	0.59		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.52		nm	
	4	<i>Astyris gausapata</i>	1	0.58		nm	
	4	<i>Astyris gausapata</i>	1	0.50		nm	
	4	<i>Astyris gausapata</i>	1	0.51		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.58		nm	
	4	<i>Astyris gausapata</i>	1	0.51		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Astyris gausapata</i>	1	1.00		0.15	
	4	<i>Astyris gausapata</i>	1	0.98		0.13	
	4	<i>Astyris gausapata</i>	1	0.87		0.13	
	4	<i>Astyris gausapata</i>	1	0.88		0.13	
	4	<i>Astyris gausapata</i>	1	1.01		0.13	
	4	<i>Nassarius mendicus</i>	1	1.50		0.46	
	4	<i>Nassarius mendicus</i>	1	1.30		0.36	
	4	<i>Nassarius mendicus</i>	1	1.10		0.17	
	4	<i>Nassarius mendicus</i>	1	1.10		0.15	
	4	<i>Nassarius mendicus</i>	1	1.02		0.15	
	4	<i>Turbonilla</i> sp.	1	1.10		nm	
	4	<i>Turbonilla</i> sp.	1	1.20		nm	
	4	<i>Turbonilla</i> sp.	1	0.48		nm	
		Total number	93		0.76		5.0

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G2b	5	<i>Astyrus gausapata</i>	1	0.92		nm	
	5	<i>Astyrus gausapata</i>	1	0.88		nm	
	5	<i>Astyrus gausapata</i>	1	0.85		nm	
	5	<i>Astyrus gausapata</i>	1	0.81		nm	
	5	<i>Astyrus gausapata</i>	1	0.99		nm	
	5	<i>Astyrus gausapata</i>	1	0.65		nm	
	5	<i>Astyrus gausapata</i>	1	0.81		nm	
	5	<i>Astyrus gausapata</i>	1	0.79		nm	
	5	<i>Astyrus gausapata</i>	1	0.80		nm	
	5	<i>Astyrus gausapata</i>	1	0.85		nm	
	5	<i>Astyrus gausapata</i>	1	0.50		nm	
	5	<i>Astyrus gausapata</i>	1	0.85		nm	
	5	<i>Astyrus gausapata</i>	1	0.68		nm	
	5	<i>Astyrus gausapata</i>	1	0.55		nm	
	5	<i>Astyrus gausapata</i>	1	0.58		nm	
	5	<i>Astyrus gausapata</i>	1	0.68		nm	
	5	<i>Astyrus gausapata</i>	1	0.75		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	0.70		nm	
	5	<i>Astyrus gausapata</i>	1	0.61		nm	
	5	<i>Astyrus gausapata</i>	1	0.71		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	0.59		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	0.69		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	0.55		nm	
	5	<i>Astyrus gausapata</i>	1	0.60		nm	
	5	<i>Astyrus gausapata</i>	1	1.00		0.21	
	5	<i>Turbonilla</i> sp.	1	0.40		nm	
	5	<i>Turbonilla</i> sp.	1	0.85		nm	
	5	<i>Turbonilla</i> sp.	1	0.45		nm	
	5	<i>Odostomia</i> sp.	1	0.25		nm	
		Total number	35		0.68		1.5

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G3b	4	<i>Astyris gausapata</i>	1	0.85		nm	
	4	<i>Astyris gausapata</i>	1	0.87		nm	
	4	<i>Astyris gausapata</i>	1	0.95		nm	
	4	<i>Astyris gausapata</i>	1	0.87		nm	
	4	<i>Astyris gausapata</i>	1	0.81		nm	
	4	<i>Astyris gausapata</i>	1	0.94		nm	
	4	<i>Astyris gausapata</i>	1	0.89		nm	
	4	<i>Astyris gausapata</i>	1	0.94		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	0.96		nm	
	4	<i>Astyris gausapata</i>	1	0.82		nm	
	4	<i>Astyris gausapata</i>	1	0.86		nm	
	4	<i>Astyris gausapata</i>	1	0.89		nm	
	4	<i>Astyris gausapata</i>	1	0.91		nm	
	4	<i>Astyris gausapata</i>	1	0.91		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	0.94		nm	
	4	<i>Astyris gausapata</i>	1	1.10		0.26	
	4	<i>Astyris gausapata</i>	1	1.00		0.13	
	4	<i>Astyris gausapata</i>	1	1.00		0.13	
	4	<i>Kurtzia arteaga</i>	1	0.99		nm	
		Total number	21		0.91		2.1
LDW-G3b	5	<i>Astyris gausapata</i>	1	0.99		nm	
	5	<i>Astyris gausapata</i>	1	0.90		nm	
	5	<i>Astyris gausapata</i>	1	0.80		nm	
	5	<i>Astyris gausapata</i>	1	0.95		nm	
	5	<i>Astyris gausapata</i>	1	0.82		nm	
	5	<i>Astyris gausapata</i>	1	0.70		nm	
	5	<i>Astyris gausapata</i>	1	0.68		nm	
	5	<i>Astyris gausapata</i>	1	0.88		nm	
	5	<i>Astyris gausapata</i>	1	0.92		nm	
	5	<i>Astyris gausapata</i>	1	0.80		nm	
	5	<i>Astyris gausapata</i>	1	0.81		nm	
	5	<i>Astyris gausapata</i>	1	0.91		nm	
	5	<i>Astyris gausapata</i>	1	0.95		nm	
	5	<i>Astyris gausapata</i>	1	0.60		nm	
	5	<i>Astyris gausapata</i>	1	0.62		nm	
	5	<i>Astyris gausapata</i>	1	0.55		nm	
	5	<i>Astyris gausapata</i>	1	0.50		nm	
	5	<i>Astyris gausapata</i>	1	0.70		nm	
	5	<i>Astyris gausapata</i>	1	0.58		nm	
	5	<i>Astyris gausapata</i>	1	0.88		nm	
	5	<i>Astyris gausapata</i>	1	0.91		nm	
	5	<i>Astyris gausapata</i>	1	1.00		0.18	
	5	<i>Nassarius mendicus</i>	1	1.10		0.32	
	5	<i>Odostomia</i> sp.	1	0.48		nm	
		Total number	24		0.79		2.0

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G4b	1	<i>Astyris gausapata</i>	1	0.89		nm	
	1	<i>Astyris gausapata</i>	1	0.95		nm	
	1	<i>Astyris gausapata</i>	1	0.70		nm	
	1	<i>Astyris gausapata</i>	1	0.86		nm	
	1	<i>Astyris gausapata</i>	1	0.52		nm	
	1	<i>Astyris gausapata</i>	1	0.48		nm	
	1	<i>Astyris gausapata</i>	1	0.58		nm	
	1	<i>Astyris gausapata</i>	1	0.92		nm	
	1	<i>Astyris gausapata</i>	1	0.81		nm	
	1	<i>Astyris gausapata</i>	1	1.10		0.2	
	1	<i>Astyris gausapata</i>	1	1.00		0.16	
		Total number	11		0.80		0.7
LDW-G4b	2	<i>Astyris gausapata</i>	1	0.80		nm	
	2	<i>Astyris gausapata</i>	1	0.62		nm	
	2	<i>Astyris gausapata</i>	1	0.51		nm	
	2	<i>Astyris gausapata</i>	1	0.80		nm	
	2	<i>Astyris gausapata</i>	1	0.75		nm	
	2	<i>Astyris gausapata</i>	1	0.70		nm	
	2	<i>Astyris gausapata</i>	1	1.00		0.21	
		Total number	7		0.74		<0.1
LDW-G4b	3	<i>Astyris gausapata</i>	1	0.95		nm	
	3	<i>Astyris gausapata</i>	1	0.99		nm	
	3	<i>Astyris gausapata</i>	1	0.96		nm	
	3	<i>Astyris gausapata</i>	1	0.97		nm	
	3	<i>Astyris gausapata</i>	1	1.00		nm	
	3	<i>Astyris gausapata</i>	1	0.98		nm	
	3	<i>Astyris gausapata</i>	1	0.91		nm	
	3	<i>Astyris gausapata</i>	1	0.92		nm	
	3	<i>Astyris gausapata</i>	1	0.49		nm	
	3	<i>Astyris gausapata</i>	1	0.81		nm	
	3	<i>Astyris gausapata</i>	1	0.86		nm	
	3	<i>Astyris gausapata</i>	1	0.88		nm	
	3	<i>Astyris gausapata</i>	1	0.93		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	1.00		nm	
	3	<i>Astyris gausapata</i>	1	0.85		nm	
	3	<i>Astyris gausapata</i>	1	0.63		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.58		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.52		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.61		nm	
	3	<i>Astyris gausapata</i>	1	1.10		0.22	
	3	<i>Astyris gausapata</i>	1	1.10		0.13	
	3	<i>Kurtzia arteaga</i>	1	0.52		nm	
		Total number	30		0.78		2.3

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G4b	4	<i>Astyris gausapata</i>	1	0.81		nm	
	4	<i>Astyris gausapata</i>	1	0.62		nm	
	4	<i>Astyris gausapata</i>	1	0.81		nm	
	4	<i>Astyris gausapata</i>	1	0.98		nm	
	4	<i>Astyris gausapata</i>	1	0.58		nm	
	4	<i>Astyris gausapata</i>	1	0.79		nm	
	4	<i>Astyris gausapata</i>	1	0.58		nm	
	4	<i>Astyris gausapata</i>	1	0.92		nm	
	4	<i>Astyris gausapata</i>	1	0.70		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
	4	<i>Kurtzia arteaga</i>	1	0.90		nm	
	4	<i>Kurtzia arteaga</i>	1	0.99		nm	
		Total number	12		0.77		<0.1
LDW-G4b	5	<i>Astyris gausapata</i>	1	0.90		nm	
	5	<i>Astyris gausapata</i>	1	0.90		nm	
	5	<i>Astyris gausapata</i>	1	0.78		nm	
	5	<i>Astyris gausapata</i>	1	0.92		nm	
	5	<i>Astyris gausapata</i>	1	1.00		nm	
	5	<i>Astyris gausapata</i>	1	1.00		nm	
	5	<i>Astyris gausapata</i>	1	0.90		nm	
	5	<i>Astyris gausapata</i>	1	0.88		nm	
	5	<i>Astyris gausapata</i>	1	0.50		nm	
	5	<i>Astyris gausapata</i>	1	0.92		nm	
	5	<i>Astyris gausapata</i>	1	0.60		nm	
	5	<i>Astyris gausapata</i>	1	0.85		nm	
	5	<i>Astyris gausapata</i>	1	0.65		nm	
	5	<i>Astyris gausapata</i>	1	0.50		nm	
	5	<i>Astyris gausapata</i>	1	0.52		nm	
	5	<i>Astyris gausapata</i>	1	0.52		nm	
	5	<i>Nassarius mendicus</i>	1	1.10		0.23	
		Total number	17		0.79		<0.1
LDW-G5b	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Trichotropis cancellata</i>	1	0.35		nm	
		Total number	2		0.68		<0.1
LDW-G5b	2	<i>Nassarius mendicus</i>	1	1.40		0.39	
LDG-G5b	5	<i>Astyris gausapata</i>	1	0.70		<0.1	
LDW-G6b	1	<i>Astyris gausapata</i>	1	0.98		nm	
	1	<i>Astyris gausapata</i>	1	0.92		nm	
	1	<i>Astyris gausapata</i>	1	0.70		nm	
	1	<i>Astyris gausapata</i>	1	0.54		nm	
	1	<i>Astyris gausapata</i>	1	0.91		nm	
	1	<i>Astyris gausapata</i>	1	0.81		nm	
	1	<i>Astyris gausapata</i>	1	0.90		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.59		nm	
	1	<i>Astyris gausapata</i>	1	0.71		nm	
	1	<i>Astyris gausapata</i>	1	0.59		nm	
	1	<i>Astyris gausapata</i>	1	0.61		nm	
	1	<i>Astyris gausapata</i>	1	0.58		nm	
	1	<i>Astyris gausapata</i>	1	0.48		nm	
	1	<i>Astyris gausapata</i>	1	0.50		nm	
	1	<i>Astyris gausapata</i>	1	0.55		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.91		nm	

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
	1	<i>Astyris gausapata</i>	1	0.89		nm	
	1	<i>Astyris gausapata</i>	1	0.10		nm	
	1	<i>Astyris gausapata</i>	1	0.71		nm	
	1	<i>Astyris gausapata</i>	1	0.93		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.70		nm	
	1	<i>Astyris gausapata</i>	1	0.56		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.52		nm	
	1	<i>Astyris gausapata</i>	1	0.59		nm	
	1	<i>Astyris gausapata</i>	1	0.59		nm	
	1	<i>Astyris gausapata</i>	1	0.62		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	0.52		nm	
	1	<i>Astyris gausapata</i>	1	0.50		nm	
	1	<i>Astyris gausapata</i>	1	0.62		nm	
	1	<i>Astyris gausapata</i>	1	0.60		nm	
	1	<i>Astyris gausapata</i>	1	1.08		nm	
	1	<i>Astyris gausapata</i>	1	1.12		0.1	
	1	<i>Astyris gausapata</i>	1	1.00		0.1	
	1	<i>Astyris gausapata</i>	1	1.00		0.1	
	1	<i>Nassarius mendicus</i>	1	1.37		0.34	
	1	<i>Nassarius mendicus</i>	1	1.35		0.37	
	1	<i>Odostomia</i> sp.	1	0.34		nm	
		<i>Total number</i>	44		0.71		2.1
LDW-G6b	2	<i>Astyris gausapata</i>	1	0.97		nm	
	2	<i>Astyris gausapata</i>	1	0.98		nm	
	2	<i>Astyris gausapata</i>	1	0.88		nm	
	2	<i>Astyris gausapata</i>	1	0.53		nm	
	2	<i>Astyris gausapata</i>	1	0.94		nm	
	2	<i>Astyris gausapata</i>	1	1.00		nm	
	2	<i>Astyris gausapata</i>	1	0.81		nm	
	2	<i>Astyris gausapata</i>	1	0.70		nm	
	2	<i>Astyris gausapata</i>	1	0.83		nm	
	2	<i>Astyris gausapata</i>	1	0.80		nm	
	2	<i>Astyris gausapata</i>	1	0.60		nm	
	2	<i>Astyris gausapata</i>	1	0.78		nm	
	2	<i>Astyris gausapata</i>	1	0.48		nm	
	2	<i>Nassarius mendicus</i>	1	1.32		0.38	
		<i>Total number</i>	14		0.83		1.0

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G6b	3	<i>Astyris gausapata</i>	1	0.83		nm	
	3	<i>Astyris gausapata</i>	1	1.00		nm	
	3	<i>Astyris gausapata</i>	1	0.99		nm	
	3	<i>Astyris gausapata</i>	1	0.71		nm	
	3	<i>Nassarius mendicus</i>	1	1.28		0.29	
	3	<i>Nassarius mendicus</i>	1	1.19		0.27	
	3	<i>Turbonilla</i> sp.	1	0.91		nm	
		Total number	7		0.99		0.4
LDW-G6b	4	<i>Astyris gausapata</i>	1	0.69		nm	
	4	<i>Astyris gausapata</i>	1	0.60		nm	
		Total number	2		0.65		<0.1
LDW-G6b	5	<i>Astyris gausapata</i>	1	0.90		nm	
	5	<i>Astyris gausapata</i>	1	1.00		nm	
	5	<i>Astyris gausapata</i>	1	0.99		nm	
	5	<i>Astyris gausapata</i>	1	0.51		nm	
	5	<i>Astyris gausapata</i>	1	0.82		nm	
	5	<i>Astyris gausapata</i>	1	1.00		nm	
	5	<i>Kurtzia arteaga</i>	1	0.95		nm	
		Total number	7		0.88		0.7
LDW-G7b	1	<i>Astyris gausapata</i>	1	0.70		<0.1	
LDW-G7b	2	<i>Astyris gausapata</i>	1	0.98		nm	
	2	<i>Astyris gausapata</i>	1	0.61		nm	
	2	<i>Nassarius mendicus</i>	1	1.08		0.20	
		Total number	3		0.89		<0.1
LDW-G7b	5	<i>Lacuna vincta</i>	1	0.69		<0.1	
LDW-G8b	1	<i>Astyris gausapata</i>	1	0.96		nm	
	1	<i>Astyris gausapata</i>	1	1.10		nm	
	1	<i>Astyris gausapata</i>	1	1.01		nm	
	1	<i>Astyris gausapata</i>	1	1.01		nm	
	1	<i>Astyris gausapata</i>	1	0.90		nm	
	1	<i>Astyris gausapata</i>	1	0.99		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	0.99		nm	
	1	<i>Astyris gausapata</i>	1	0.91		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	0.90		nm	
	1	<i>Astyris gausapata</i>	1	0.98		nm	
	1	<i>Astyris gausapata</i>	1	0.89		nm	
	1	<i>Astyris gausapata</i>	1	0.90		nm	
	1	<i>Astyris gausapata</i>	1	0.91		nm	
	1	<i>Astyris gausapata</i>	1	0.99		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	1.20		nm	
	1	<i>Astyris gausapata</i>	1	0.91		nm	
	1	<i>Astyris gausapata</i>	1	0.93		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	0.92		nm	
	1	<i>Astyris gausapata</i>	1	0.81		nm	
	1	<i>Astyris gausapata</i>	1	1.10		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	0.95		nm	
	1	<i>Astyris gausapata</i>	1	0.94		nm	
	1	<i>Astyris gausapata</i>	1	0.95		nm	

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
	1	<i>Astyris gausapata</i>	1	0.93		nm	
	1	<i>Astyris gausapata</i>	1	0.96		nm	
	1	<i>Astyris gausapata</i>	1	0.91		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	0.95		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	1.10		nm	
	1	<i>Astyris gausapata</i>	1	1.10		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	0.99		nm	
	1	<i>Astyris gausapata</i>	1	1.10		nm	
	1	<i>Astyris gausapata</i>	1	1.10		nm	
	1	<i>Astyris gausapata</i>	1	0.99		nm	
	1	<i>Astyris gausapata</i>	1	0.94		nm	
	1	<i>Astyris gausapata</i>	1	0.98		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	1.00		nm	
	1	<i>Astyris gausapata</i>	1	0.90		nm	
	1	<i>Astyris gausapata</i>	1	0.89		nm	
	1	<i>Astyris gausapata</i>	1	0.89		nm	
	1	<i>Astyris gausapata</i>	1	0.95		nm	
	1	<i>Astyris gausapata</i>	1	1.20		nm	
	1	<i>Astyris gausapata</i>	1	0.84		nm	
	1	<i>Astyris gausapata</i>	1	0.09		nm	
	1	<i>Astyris gausapata</i>	1	0.92		nm	
	1	<i>Astyris gausapata</i>	1	0.81		nm	
	1	<i>Astyris gausapata</i>	1	0.83		nm	
	1	<i>Astyris gausapata</i>	1	0.63		nm	
	1	<i>Astyris gausapata</i>	1	0.87		nm	
	1	<i>Nassarius mendicus</i>	1	1.22		0.1	
	1	<i>Turbonilla</i> sp.	1	0.63		nm	
	1	<i>Turbonilla</i> sp.	1	0.62		nm	
	1	<i>Lacuna vincta</i>	1	0.70		nm	
	1	<i>Alvania compacta</i>	1	0.26		nm	
		<i>Total number</i>	64		0.93		8.6
LDW-G8b	2	<i>Astyris gausapata</i>	1	0.90		nm	
	2	<i>Astyris gausapata</i>	1	1.00		nm	
	2	<i>Astyris gausapata</i>	1	1.01		nm	
	2	<i>Astyris gausapata</i>	1	1.01		nm	
	2	<i>Astyris gausapata</i>	1	1.00		nm	
	2	<i>Astyris gausapata</i>	1	0.85		nm	
	2	<i>Astyris gausapata</i>	1	1.00		0.15	
	2	<i>Astyris gausapata</i>	1	1.02		0.15	
	2	<i>Nassarius mendicus</i>	1	1.11		0.20	
		<i>Total number</i>	9		0.99		0.7
LDW-G8b	3	<i>Astyris gausapata</i>	1	1.02		nm	
	3	<i>Astyris gausapata</i>	1	1.06		nm	
	3	<i>Astyris gausapata</i>	1	0.90		nm	
	3	<i>Astyris gausapata</i>	1	1.08		nm	
	3	<i>Astyris gausapata</i>	1	0.99		nm	
	3	<i>Astyris gausapata</i>	1	1.01		nm	
	3	<i>Astyris gausapata</i>	1	1.03		nm	
	3	<i>Astyris gausapata</i>	1	0.91		nm	
	3	<i>Astyris gausapata</i>	1	1.00		nm	
	3	<i>Astyris gausapata</i>	1	0.91		nm	
	3	<i>Astyris gausapata</i>	1	0.99		nm	
	3	<i>Astyris gausapata</i>	1	0.92		nm	

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.92		nm	
	3	<i>Astyris gausapata</i>	1	0.90		nm	
	3	<i>Astyris gausapata</i>	1	0.88		nm	
	3	<i>Astyris gausapata</i>	1	1.19		nm	
	3	<i>Astyris gausapata</i>	1	1.00		nm	
	3	<i>Astyris gausapata</i>	1	0.70		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
	3	<i>Astyris gausapata</i>	1	0.60		nm	
		Total number	21		0.91		2.6
LDW-G8b	4	<i>Astyris gausapata</i>	1	1.00		nm	
	4	<i>Astyris gausapata</i>	1	0.93		nm	
	4	<i>Astyris gausapata</i>	1	0.97		nm	
	4	<i>Astyris gausapata</i>	1	0.95		nm	
	4	<i>Astyris gausapata</i>	1	0.95		nm	
	4	<i>Astyris gausapata</i>	1	0.95		nm	
	4	<i>Astyris gausapata</i>	1	1.00		nm	
	4	<i>Astyris gausapata</i>	1	0.90		nm	
	4	<i>Astyris gausapata</i>	1	1.01		nm	
	4	<i>Astyris gausapata</i>	1	1.00		nm	
	4	<i>Astyris gausapata</i>	1	0.97		nm	
	4	<i>Astyris gausapata</i>	1	0.99		nm	
	4	<i>Astyris gausapata</i>	1	0.88		nm	
	4	<i>Astyris gausapata</i>	1	0.91		nm	
	4	<i>Astyris gausapata</i>	1	0.55		nm	
	4	<i>Astyris gausapata</i>	1	0.88		nm	
	4	<i>Astyris gausapata</i>	1	1.06		nm	
	4	<i>Astyris gausapata</i>	1	0.82		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	1.00		nm	
	4	<i>Astyris gausapata</i>	1	0.99		nm	
	4	<i>Astyris gausapata</i>	1	1.00		nm	
	4	<i>Astyris gausapata</i>	1	0.95		nm	
	4	<i>Astyris gausapata</i>	1	0.87		nm	
	4	<i>Astyris gausapata</i>	1	0.80		nm	
	4	<i>Astyris gausapata</i>	1	0.98		nm	
	4	<i>Astyris gausapata</i>	1	0.86		nm	
	4	<i>Astyris gausapata</i>	1	0.90		nm	
	4	<i>Astyris gausapata</i>	1	0.91		nm	
	4	<i>Astyris gausapata</i>	1	0.82		nm	
	4	<i>Astyris gausapata</i>	1	0.98		nm	
	4	<i>Astyris gausapata</i>	1	1.10		nm	
	4	<i>Astyris gausapata</i>	1	1.08		nm	
	4	<i>Astyris gausapata</i>	1	1.00		nm	
	4	<i>Astyris gausapata</i>	1	1.08		nm	
	4	<i>Astyris gausapata</i>	1	1.11		nm	
	4	<i>Astyris gausapata</i>	1	1.10		0.7	
	4	<i>Astyris gausapata</i>	1	1.00		0.7	
	4	<i>Turbonilla</i> sp.	1	0.52		nm	
	4	<i>Turbonilla</i> sp.	1	0.61		nm	
	4	<i>Turbonilla</i> sp.	1	0.62		nm	
	4	<i>Turbonilla</i> sp.	1	0.50		nm	
	4	<i>Alvania compacta</i>	1	0.20		nm	
	4	<i>Alvania compacta</i>	1	0.22		nm	
		Total number	44		0.88		3.6
LDW-G8b-TS5	5	<i>Astyris gausapata</i>	1	1.10		nm	
	5	<i>Astyris gausapata</i>	1	1.10		nm	

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
	5	<i>Astyris gausapata</i>	1	1.10		nm	
	5	<i>Astyris gausapata</i>	1	1.40		nm	
	5	<i>Astyris gausapata</i>	1	0.99		nm	
	5	<i>Astyris gausapata</i>	1	0.95		nm	
	5	<i>Astyris gausapata</i>	1	1.09		nm	
	5	<i>Astyris gausapata</i>	1	1.03		nm	
	5	<i>Astyris gausapata</i>	1	1.00		nm	
	5	<i>Astyris gausapata</i>	1	0.80		nm	
	5	<i>Astyris gausapata</i>	1	0.95		nm	
	5	<i>Astyris gausapata</i>	1	1.11		nm	
	5	<i>Astyris gausapata</i>	1	1.02		nm	
	5	<i>Astyris gausapata</i>	1	1.00		nm	
	5	<i>Turbonilla</i> sp.	1	0.65		nm	
		Total number	15		1.02		2.1
LDW-G9b	1	<i>Astyris gausapata</i>	1	0.90		nm	
	1	<i>Astyris gausapata</i>	1	1.01		nm	
	1	<i>Astyris gausapata</i>	1	1.07		nm	
	1	<i>Astyris gausapata</i>	1	0.45		nm	
	1	<i>Euspira</i> sp.	1	0.20		nm	
		Total number	5		0.73		0.2
LDW-G9b	2	<i>Astyris gausapata</i>	1	0.81		nm	
	2	<i>Astyris gausapata</i>	1	0.82		nm	
	2	<i>Astyris gausapata</i>	1	0.92		nm	
	2	<i>Astyris gausapata</i>	1	1.01		nm	
	2	<i>Astyris gausapata</i>	1	0.84		nm	
	2	<i>Astyris gausapata</i>	1	1.00		nm	
	2	<i>Astyris gausapata</i>	1	0.91		nm	
	2	<i>Rictaxis punctocaelatus</i>	1	0.34		nm	
	2	<i>Odostomia</i> sp.	1	0.55		nm	
		Total number	9		0.80		0.9

Appendix B: Taxonomic Identification of Gastropods and Size Measurements

Location ID	Tow	Taxa	Number	Shell Height (cm)	Average Shell Height (cm)	Individual Weight, including shell (g ww)	Combined weight of gastropods not weighed individually (g ww)
LDW-G9b	4	<i>Astyrís gausapata</i>	1	1.00		nm	
	4	<i>Astyrís gausapata</i>	1	0.91		nm	
	4	<i>Astyrís gausapata</i>	1	0.92		nm	
	4	<i>Euspira</i> sp.	1	0.21		nm	
		Total number	4	0.76	0.76		0.3
LDW-G9b	5	<i>Turbonilla</i> sp.	1	0.60		nm	
	5	<i>Odostomia</i> sp.	1	0.25		nm	
	5	<i>Odostomia</i> sp.	1	0.30		nm	
	5	<i>Odostomia</i> sp.	1	0.22		nm	
	5	<i>Euspira</i> sp.	1	0.25		nm	
		Total number	5		0.32		<0.1
LDW-G10b	2	<i>Astyrís gausapata</i>	1	0.98		<0.1	
LDW-G10b	3	<i>Euspira</i> sp.	1	0.38		<0.1	
LDW-G10b	4	<i>Euspira</i> sp.	1	0.41		<0.1	
LDW-G10b	5	<i>Nassarius mendicus</i>	1	1.35		0.41	
LDW-G11b	5	<i>Cryptonatica affinis</i>	1	0.51		<0.1	
LDW-G12b	4	<i>Astyrís gausapata</i>	1	1.01		<0.1	
LDW-G13b	3	<i>Turbonilla</i> sp.	1	0.51		<0.1	
LDW-G13b	5	<i>Turbonilla</i> sp.	1	0.50		nm	
	5	<i>Turbonilla</i> sp.	1	0.51		nm	
		Total number	2		0.51		<0.1
LDW-G14b	4	<i>Turbonilla</i> sp.	1	0.51		<0.1	
LDW-G14b	5	<i>Turbonilla</i> sp.	1	0.51		<0.1	
LDW-G15b	1	<i>Turbonilla</i> sp.	1	0.51		<0.1	

nm - individual gastropod not weighed