



Figure 2-2. Trawl locations in Area T1 sampled during the 2005 sampling event



Prepared by STS 04/18/06 Map 2136



— Trawl location*
 *The mapped trawl line was truncated to account for the line-out distance of the trawl behind the boat's GPS unit.

▭ Tissue sampling area

Depth (ft MLLW)


- 10 to -4
- 5 to -14
- 15 to -24
- 25 to -34
- 35 to -44
- 45 to -55

Area not covered in bathymetric survey

Road

River mile

Figure 2-3. Trawl locations in Area T2 sampled during the 2005 sampling event






Figure 2-4. Trawl locations in Area T3 sampled during the 2005 sampling event



Prepared by STS 04/18/06 Map 2136





Figure 2-5. Trawl locations in Area T4 sampled during the 2005 sampling event







Figure 2-6. Crab trap locations in Area T2 sampled during the 2005 sampling event







Figure 2-7. Crab trap locations in Area T3 sampled during the 2005 sampling event



Prepared by STS 04/18/06 Map 2142

Bathymetry source: David Evans & Associates (2003)

W:\Projects\00-08-06_Duwamish_RI\data\gis\Tissue collection





Figure 2-8. Crab trap locations in Area T4 sampled during the 2005 sampling event



Prepared by STS 04/18/06 Map 2142

Bathymetry source: David Evans & Associates (2003)

W:\Projects\00-08-06_Duwamish_RI\data\gis\Tissue collection