

Port of Seattle / City of Seattle / King County / The Boeing Company

Background clam data report Appendices

## CHAIN-OF-CUSTODY/TEST REQUEST FORM

Project/Client Name:	Lower Duwamish Waterway Group (LDWG)	Ship to:	Brooks Rand, 3958 6th Ave NW, Sea	ttle WA 98107
Project Number:	04-08-06-22 04-0B-0G-21	Attn:	Elizabeth Madonick	Shipping Date:
Contact Name:	Marina Mitchell	Shipper:		Airbill Number:
Sampled By:	Angelita Rodriguez	Form filled out by:	AR	Turnaround requested:

Sample Date	Lab Sample Identification	Windward Sample Identification	Sample Volume	Matrix	Clam and Sediment	Comments / Instructions
8.19.05		Du-CI-T	12 Clams	Tissue	Total Arsenic and Percent moisture on sedimer	DO NOT BLANK CORRECT THE
1			12 Clams	2	samples.	RESULTS.
			12 Claims		Total arsenic, Inorganic Arsenic, and Percent	
		DU-CY-T	loclams		moisture on tissue samples.	Archive samples. Do not dispose
			12 Clams		tice as a same	of samples post-analysis without
			12 Clans	J.	MS/MSD ON HISSUE ? -ex	Windward approval.
		Du-01-5	16	Sectionent	M5/M5D on tissue à see Samples.	
		Du-cz-s	IL	1		Report tissue results as wet weight.
		Du-03-5	1 L			
		Du-cy-s	500mL	V		
	Total Nu	mber of Containers	70Clams	Purchase	Order/Statement of Work #	
1) Released by:		1) Rec'd by:	3,5L		2) Released by: 2) Rec	c'd by:
Print name: PALSELITTA RODRIQUEZ					Print name:	
		Company:	aan barren adaret de berken (an 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1		Signature: Cor	mpany:
Company: WINDWARD EWIFONMENTAL				Company:	-	
Date/Time: 9/2/0		Date/Time:	, er op den i neden en e		Date/Time: Dat	te/Time:



1 of 2

200 West Mercer Street Suite 401 Seattle, WA 98119 Tel: (206) 378-1364 Fax: (206) 217-9343

## To be completed by Laboratory upon sample receipt:

$\sim 2^{-1}$	Laboratory W.O. #
Condition upon receipt:	Time of receipt: 14:00
Cooler temperature: Frozen	Time of receipt: 14.90 Received by:

## 2 of <u>1</u> CHAIN-OF-CUSTODY/TEST REQUEST FORM

Project/Client Name:	Lower Duwamish Waterway Group (LDWG)	Ship to:	Brooks Rand, 3958 6th Ave NW, Seat	tle WA 98107
Project Number:	04080622 04-08-06-21	Attn:	Elizabeth Madonick	Shipping Date:
Contact Name:	Marina Mitchell	Shipper:		Airbill Number:
Sampled By:	Angelita Rodriguez	Form filled out by:	AR	Turnaround requested:

Sample Date	Lab Sample Id <u>entification</u>	Windward Sample Identification	Sample Volume	Matrix	Clam and Sedim	ent	Comments / Instructions
8/23/05		VI-CI-T	20 Clan	Tissue	Total Arsenic and Percent moisture on sediment		DO NOT BLANK CORRECT THE
		VI-CZ-T	20 Clams	34400376	samples.		
		VI-C3-T	20 Clams	Tissue	Total arsenic, Inorganic Arsenic, and Per	cent	
		VI-CH-T	20 Clams		moisture on tissue samples.		Archive samples. Do not dispose
		VI-CS-T	20 Clams				of samples post-analysis without
		VI-C6-T	219 Clana	Tissue			Windward approval.
		VI-21-5	16	Sediment	Please run MSIMSU on		
		VI-02-5	12	Sediment	any of the fissue and	Please run MS/MSD on any of the fissue and sediment samples	
		VI-C3-S	IL	Sediment	sample		
		VI-CY-S	16	Sectiment			
		VI-C5-5	IL	Sediment			
		VI-C6-5	10	Sediment	-	I	
	Total Nu	mber of Containers	119chamu/64	Purchase	Order/Statement of Work #		
1) Released by: 1) Re		1) Rec'd by:		2) Released by: 2) Rec'd b			
Print name: HAGELITH RODPIONEL		anana ayan kanan se metana se ay kewakan seringa se seringa	ar on the second at the formation state formation with the most state of the most		Print name:	анданы улу полини кара да амалу богу полажда адуустанда. Кайсаний уу унардог из Когу ш. 1979 К.	
Signature: Applits PR		Company:		Signature:	Company:		
Company: WINDWARD ENTRONMENTAL		and a second state of the	Radamana and and i barris yok a mandud Radamana you duraday		Company:	MALINGUE LINGUISTICATION OF STATEMENTS (	
Date/Time: 9/2/		Date/Time:			Date/Time:	Date/Time:	



200 West Mercer Street Suite 401 Seattle, WA 98119 Tel: (206) 378-1364 Fax: (206) 217-9343

## To be completed by Laboratory upon sample receipt:

Date of receipt: 9-2-05	是在这些你们就是不可能。" 医内部溃疡 推算服 教授的法国的推进人员	이가는 실망했다. 것으로 것이 가는 것 같아. 나라고 말 것
Condition upon receipt:	Time of receip	· 14:00
Cooler temperature: Froze	Received by:	Hallen

.